

www.fbcwcid2.com

BACKFLOW PREVENTION ASSEMBLY TEST AND MAINTENANCE REPORT

CUSTOMER:			
PROPERTY ADDRI	ESS:		Ci den i
CUSTOMER MAILI	ING ADDRESS:		
PHONE #:		CONTACT PERSON:	
PWS I.D. #:	0790004		

The backflow prevention assembly detailed below has been tested and maintained as required by commission regulations and is certified to be operating within acceptable parameters.

TYPE OF ASSEMBLY		Initial Test P/F: Final Test P/F:
 Reduced Pressure Principle Double Check Valve Pressure Vacuum Breaker 		 Reduced Pressure Principle-Detector Double Check-Detector Spill-Resistant Pressure Vacuum Breaker
Manufacturer	Model # _	Size
Located At		Serial Number

Is the assembly installed in accordance with manufacturer recommendations and/or local codes? _____

	Reduced Pressure Principle Assembly			Pressure Vacuum Breaker	
	Double Check Valve Assembly			Air Inlet	Check Valve
	Check Valve #1	Check Valve #2	Relief Valve	All linet	CHECK VAIVE
Initial Test	Held at psid Closed Tight Leaked	Held at psid Closed Tight 🖵 Leaked	Opened at psid Did not open 🖵	Opened at psid Did not open 🖵	Held at psid Leaked
Repairs and Materials Used					
Test After Repair	Held at psid Closed Tight 🖵	Held at psid Closed Tight 🖵	Opened at psid	Opened at psid	Held at psid

Test gauge used: Make/Model	SN:	Calibration Date:
Remarks:		
The above is certified to be true at the	time of testing.	
Firm Name	Certified Tester	
Firm Address	Cert. Tester No	Date
Firm Phone #		Time

*TEST RECORDS MUST BE KEPT FOR AT LEAST THREE YEARS **USE ONLY MANUFACTURER'S REPLACEMENT PARTS